ELSEVIER

Volumes 203–204, March 1997

WEAR

Contents

Editorials ix

Preface

The birth and history of the International Conferences on Wear of Materials 1
P.J. Blau (Oak Ridge, TN, USA), K.C. Ludema (Ann Arbor, MI, USA), S.K. Rhee (Troy, MI, USA), W.A. Glaeser (Columbus, OH, USA), A.W. Ruff (Gaithersburg, MD, USA), S. Bahadur (Ames, IA, USA), R.G. Bayer (Vestal, NY, USA), D.A. Rigney (Columbus, OH, USA), O. Vingsbo (Uppsala, Sweden), J. Larsen-Basse (Arlington, VA, USA)

Full Papers

Sliding wear and friction characteristics of six Zn-based die-casting alloys 11
M.D. Hanna, J.T. Carter, M.S. Rashid (Warren, MI, USA)

Wear of the AFM diamond tip sliding against silicon 22
A.G. Khurshudov (La Jolla, CA, USA), K. Kato, H. Koide (Sendai, Japan)

Electrotribological behavior of Cu-15 vol.% Cr in situ composites under dry sliding 28
Z. Chen, P. Liu (Charleston, IL, USA), J.D. Verhoeven, E.D. Gibson (Ames, IA, USA)

Arc erosion behavior of Cu–15%Nb and Cu–15%Cr in situ composites 36
P. Liu (Charleston, IL, USA), S. Bahadur, J.D. Verhoeven, E.D. Gibson (Ames, IA, USA), M. Kristiansen (Lubbock, TX, USA), A. Donaldson (Greenville, IL, USA)

Sliding behavior of selected aluminum alloys 46
K. Lepper, M. James (Columbus, OH, USA), J. Chashechkina (Chernogolovka, Russia), D.A. Rigney (Columbus, OH, USA)

Abrasive wear of titanium nitride coatings 57
M. Scholl (Portland, OR, USA)

Deterioration behavior of thermomechanical refiner plates 65
M. Scholl, P. Clayton, Y. Jia (Portland, OR, USA)

Tribological behaviour of plasma-sprayed zirconia coatings 77
H.-S. Ahn, J.-Y. Kim, D.-S. Lim (Seoul, South Korea)

Erosion of polymer–particle composite coatings by liquid water jets 88
B.J. Briscoe, M.J. Pickles (London, UK), K.S. Julian, M.J. Adams (Bebington, UK)

Wear of high-velocity oxy-fuel (HVOF)-coated cones in rolling contact 98
R. Ahmed, M. Hadfield (Uxbridge, UK)

Oscillating sliding wear of cordierite glass and ceramic in liquid media 107
K.-H. Zum Gahr, P. Neumann (Karlsruhe, Germany)

Abrasive wear of composite coatings in a saline sand slurry environment 119
R.L. Deuis, C. Subramanian, J.M. Yellup (The Levels, SA, Australia)

Three-body abrasion of surface engineered die steel at elevated temperatures 129
K. Venkatesan, C. Subramanian (The Levels, SA, Australia), E. Summerville (Woodville North, SA, Australia)

On a new method of evaluation of the inelastic state due to moving contacts 139
N. Maouche, M.H. Maitournam, K. Dang Van (Palaiseau, France)

Study of magnetized or electrical sliding contact of a steel XC48/graphite couple 148
D. Paulmier, M. El Mansori, H. Zaïdi (Vandoeuvre-les-Nancy, France)

Elsevier Science S.A.

Microstructure and sliding wear behavior of PM alloy Al–10Ti after thermal exposure 155
N.Q. Wu, G.-X. Wang, Z.Z. Li, J.M. Wu, J.W. Chen (Hangzhou, People's Republic of China)

Shakedown limits on coated and engineered surfaces 162
S.K. Wong, A. Kapoor (Sheffield, UK), J.A. Williams (Cambridge, UK)

Work hardening behaviour at the worn surface of Al–Cu and Al–Si alloys 171
C. Perrin, W.M. Rainforth (Sheffield, UK)

Numerical simulation of the sliding wear test in relation to material properties 180
N. Stalin-Muller, K. Dang Van (Palaiseau, France)

Deposited thin-film wear sensors: materials and design 187
A.W. Ruff, K.G. Kreider (Gaithersburg, MD, USA)

The hardness and sliding wear behaviour of a bainitic steel 196
P.H. Shipway, S.J. Wood, A.H. Dent (Nottingham, UK)

The effect of heat treatment on the abrasion resistance of alloy white irons 206
C.P. Tabrett (Adelaide, SA, Australia), I.R. Sare (Woodville, SA, Australia)

The effect of processing route, composition and hardness on the wear response of chromium bearing steels in a rolling–sliding configuration 220
D.N. Hanlon, W.M. Rainforth, C.M. Sellars (Sheffield, UK)

Orientation softening in the deformation and wear of ultra-high molecular weight polyethylene 230
A. Wang, D.C. Sun, S.-S. Yau, B. Edwards, M. Sokol, A. Essner, V.K. Polineni, C. Stark, J.H. Dumbleton (Rutherford, NJ, USA)

A study of cermets' wear behaviour 242
G.E. D'Errico, S. Bugliosi, D. Cuppini, E. Guglielmi (Orbassano-TO, Italy)

Abrasive wear of Si_3N_4–$MoSi_2$ composites 247
J.A. Hawk, D.E. Alman (Albany, OR, USA), J.J. Petrovic (Los Alamos, NM, USA)

Damage by indentation and single impact of hard particles on a high chromium white cast iron 257
T.A. Adler, Ö.N. Doğan (Albany, OR, USA)

Influence of whisker reinforcement on the abrasive wear behavior of silicon nitride- and alumina-based composites 267
C.P. Doğan, J.A. Hawk (Albany, OR, USA)

Tribological behavior of silicon nitride that is compositionally modified by high-temperature electrolysis 278
D.-S. Lim, Y.-S. Oh (Seoul, South Korea), K.-H. Lee (Onyang City, South Korea)

A study on wear and erosion of sialon–Si_3N_4 whisker ceramic composites 284
D.-S. Park, B.-D. Han (Kyung Nam, South Korea), D.-S. Lim, I.-W. Yeo (Seoul, South Korea)

Wear map of ceramics 291
K. Adachi, K. Kato, N. Chen (Sendai, Japan)

Resistance to particle abrasion of selected plastics 302
K.G. Budinski (Rochester, NY, USA)

Sliding wear of conventional and nanostructured cemented carbides 310
K. Jia, T.E. Fischer (Hoboken, NJ, USA)

The friction–wear behavior of Al_2O_3–TiC–Co advanced ceramic during in-situ SEM 319
S.Y. Guo, J. Li, D.S. Mao, M.H. Xu, Z.Y. Mao (Hangzhou, People's Republic of China)

The abrasive and erosive wear of polymeric paint films 325
K.L. Rutherford, R.I. Trezona (Cambridge, UK), A.C. Ramamurthy (Dearborn, MI, USA), I.M. Hutchings (Cambridge, UK)

The effects of irradiation and ageing on the abrasive wear resistance of ultra high molecular weight polyethylene 335
M. Choudhury, I.M. Hutchings (Cambridge, UK)

Evaluation of frictional characteristics for a pin-on-disk apparatus with different dynamic parameters 341
E.-S. Yoon, H. Kong, O.-K. Kwon, J.-E. Oh (Seoul, South Korea)

Friction induced paint damage—A novel method for objective assessment of painted engineering plastics 350
A.C. Ramamurthy (Dearborn, MI, USA), J.A. Charest, M.D. Lilly (Goleta, CA, USA), D.J. Mihora (Santa Barbara, CA, USA), J.W. Freese (Plymouth, MI, USA)

Friction induced damage: preliminary numerical analysis of stresses within painted automotive plastics induced by large curvature counterfaces 362
D.J. Mihora (Santa Barbara, CA, USA), A.C. Ramamurthy (Dearborn, MI, USA)

Reduction in the initial wear of ultrahigh molecular weight polyethylene after compressive creep deformation 375
K.-Y. Lee, D. Pienkowski (Lexington, KY, USA)

Dry sliding friction and wear of short carbon-fiber-reinforced polyetheretherketone (PEEK) at elevated temperatures 380
J. Hanchi, N.S. Eiss, . Jr (Blacksburg, VA, USA)

Elevated temperature solid particle erosion of silicon carbide continuous fibre reinforced calcium aluminosilicate glass–ceramic matrix composite 387
A.L. Ham, J.A. Yeomans, J.F. Watts (Guildford, UK)

Wear analysis in fretting of hard coatings through a dissipated energy concept 393
S. Fouvry, P. Kapsa, H. Zahouani, L. Vincent (Ecully, France)

Hot friction testing of ceramics 404
J.M. Cox, M.G. Gee (Teddington, UK)

The development of three-dimensional imaging techniques of wear particle analysis 418
Z. Peng, T.B. Kirk (Nedlands, WA, Australia), Z.L. Xu (Clayton, Vic., Australia)

Direct observations of fretting wear of steel 425
R.F. Baker, A.V. Olver (London, UK)

Influence of electric fields on the tribological behaviour of electrodynamical copper/steel contacts 434
A. Bouchoucha (Constantine, Algérie), H. Zaidi, E.K. Kadiri, D. Paulmier (Vandoeuvre-les-Nancy, France)

Friction and wear properties of hard carbon coatings at high sliding speed 442
T. Le Huu, H. Zaidi, D. Paulmier (Vandoeuvre-les Nancy, France)

Effects of load and sliding speed on the tribological behaviour of Ti–6Al–4V plasma nitrided at different temperatures 447
A. Molinari, G. Straffelini, B. Tesi (Trento, Italy), T. Bacci, G. Pradelli (Firenze, Italy)

Particle characterization for angularity and the effects of particle size and angularity on erosion in a fluidized bed environment 455
S.L. Palasamudram (Sausalito, CA, USA), S. Bahadur (Ames, IA, USA)

The effect of zinc and copper oxides and other zinc compounds as fillers on the tribological behavior of thermosetting polyester 464
S. Bahadur, L. Zhang, J.W. Anderegg (Ames, IA, USA)

A methodology for the construction of the erosion–corrosion map in aqueous environments 474
M.M. Stack, N. Corlett, S. Zhou (Manchester, UK)

Solid particle erosion of Ni–Cr/WC metal matrix composites at elevated temperatures: construction of erosion mechanism and process control maps 489
M.M. Stack, D. Peña (Manchester, UK)

Tribological behavior of nanocrystalline zinc oxide films 498
S.V. Prasad, J.S. Zabinski (Wright Patterson Air Force Base, OH, USA)

Influence of surface and heat treatment on the fretting wear of an aluminium alloy reinforced with SiC particles 507
I.R. McColl, S.J. Harris, Q. Hu, G.J. Spurr, P.A. Wood (Nottingham, UK)

Architecture of multilayer nanocomposite coatings with super-hard diamond-like carbon layers for wear protection at high contact loads 516
A.A. Voevodin, S.D. Walck, J.S. Zabinski (Wright-Patterson Air Force Base, OH, USA)

Critical variables in high temperature erosive wear 528
M. Suckling, C. Allen (Cape Town, South Africa)

The sliding wear of UHMWPE against zirconia in saline containing proteins 537
M. Kernick, C. Allen (Cape Town, South Africa)

Effect of hardness on three very different forms of wear 544
G.J. Gore, J.D. Gates (St Lucia, Qld, Australia)

A general approach to discontinuous transfer films: influence of sliding speed and stick–slip phenomena 564
P. Diss, M. Brendlé (Mulhouse, France)

The impact angle dependence of erosion damage caused by solid particle impact 573
Y.I. Oka, H. Ohnogi, T. Hosokawa, M. Matsumura (Hiroshima, Japan)

Elevated temperature erosion of several thermal-sprayed coatings under the simulated erosion conditions of in-bed tubes in a fluidized bed combustor 580
B.Q. Wang (Richmond, VA, USA), S.W. Lee (Baltimore, MD, USA)

Solid/liquid lubrication of ceramics at elevated temperatures 588
A. Erdemir, R.A. Erck, G.R. Fenske (Argonne, IL, USA), H. Hong (Wickliffe, OH, USA)

High current density ion implantation and its application to improve the wear resistance of ferrous materials 596
A.V. Byeli, V.A. Kukareko, O.V. Lobodaeva (Minsk, Belarus), P.J. Wilbur, J.A. Davis (Fort Collins, CO, USA)

Effect of coarse hard particles on high-temperature sliding abrasion of new metal matrix composites 608
H. Berns (Bochum, Germany), S.D. Franco (Uberlândia-MG, Brazil)

The effect of partial pressure of oxygen on the tribological behaviour of a nickel-based alloy, N80A, at elevated temperatures 615
J. Jiang, F.H. Stott, M.M. Stack (Manchester, UK)

On the abrasive wear of zirconias 626
H.L. Costa (Uberlândia, MG, Brazil), V.C. Pandolfelli (São Carlos, SP, Brazil), J.D.B.d. Mello (Uberlândia, MG, Brazil)

Communications and Case Studies

Principles for the tribological evaluation of intrinsic coating properties 637
N. Axén, S. Jacobson, S. Hogmark (Uppsala, Sweden)

The effect of temperature and humidity on the friction and wear of magnetic tape 642
J. Xu, K. Kato, T. Nishida (Sendai, Japan)

Effects of surface grinding conditions on the reciprocating friction and wear behavior of silicon nitride 648
P.J. Blau, R.L. Martin, E.S. Zanoria (Oak Ridge, TN, USA)

Classification of wear debris using a neural network 658
N.K. Myshkin (Gomel, Belarus), O.K. Kwon (Seoul, South Korea), A.Ya. Grigoriev (Gomel, Belarus), H.-S. Ahn, H. Kong (Seoul, South Korea)

Wear of cast-bonded components in a coal pulveriser mill 663
B.K. Arnold, T. Heijkoop, P.G. Lloyd (Woodville, S.A., Australia), G. Rubenis (Gladstone, Qld., Australia), I.R. Sare (Woodville, S.A., Australia)

Development of methodologies for the evaluation of wear-resistant materials for the mineral industry 671
I.R. Sare (Woodville, S.A., Australia), A.G. Constantine (Glen Osmond, S.A., Australia)

Tribological coatings formed by electrocontact sintering of powder systems 679
Yu.M. Pleskachevsky, V.A. Kovtun, Yu.E. Kirpichenko (Gomel, Belarus)

Initial wear in nanometer-scale contacts on polystyrene 685
D.D. Woodland, W.N. Unertl (Orono, ME, USA)

Wear behavior of Cr ion implanted pure iron under oil lubricated conditions 692
D. Yang, J. Zhou (Prairie View, TX, USA), Q. Xue (Lanzhou, People's Republic of China)

Wear and friction of aramid fiber and polytetrafluoroethylene filled composites 697
A. Bolvari, S. Glenn, R. Janssen, C. Ellis (Exton, PA, USA)

Subsurface microstructures generated by dry sliding wear on as-cast and heat treated Al metal matrix composites 703
X.Y. Li, K.N. Tandon (Winnipeg, Man., Canada)

The microstructural dependence of wear and indentation behaviour of some plasma-sprayed alumina coatings 709
H.M. Hawthorne (Vancouver, British Columbia, Canada), L.C. Erickson (Vancouver, BC, Canada), D. Ross, H. Tai (Richmond, British Columbia, Canada), T. Troczynski (Vancouver, BC, Canada)

The friction and wear of Cu-based silicon carbide particulate metal matrix composites for brake applications 715
F.E. Kennedy, A.C. Balbahadur (Hanover, NH, USA), D.S. Lashmore (West Lebanon, NH, USA)

Friction of sliding surfaces carrying boundary films 722
K.A. Blencoe, J.A. Williams (Cambridge, UK)

Author Index of Volumes 203–204 730

Subject Index of Volumes 203–204 732

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.